

LEVELS OF FINISH

LEVELS OF FINISH FOR CEMENT SHEET EXTENTION WALLS	SYSTEM	CHARACTERISTICS & FINISH
LEVEL 1 Expressed Joints	6mm Cement Base Sheet PJ6 PVC Straight Joint	Visible PVC sheet joiners Painted flat finish Will follow the frame straightness
LEVEL 2 Joints taped & patched Roll-On finish	7.5mm Cement Base Sheet Fibreglass Non-adhesive Joint Tape Acrylic trowel on patch to joints Roll-On Texture	Joints hidden behind coatings system Joints may show through under standard lighting conditions Not recommended for quality broad wall installation
LEVEL 3 Joints taped & patched + 2mm Trowel-On Texture Coating or Polymer Render	7.5mm Cement Base Sheet 140+ gram/m2 alkaline resistant, non-adhesive fibreglass mesh Acrylic Hard Patch to joints +2mm Trowel-On Acrylic Texture or Polymer Render sponge finish 2 coats membrane Paint	Joints not visible under normal lighting conditions Joints may be visible under side-light conditions (critical light)
LEVEL 4 Joints taped & set Polymer Render over entire wall	7.5mm Cement Base Sheet 140+gram/m2 alkaline resistant, non-adhesive fibreglass mesh 1 coat Polymer based render 1-4mm thick +1mm Trowel-On Acrylic Texture Finish 2 coats membrane Paint	Joints not visible under normal lighting conditions Joint may be visible under side-light conditions (critical light)
LEVEL 5 Screeded Reinforced Cement Render	60mm EPS – Building grade 4-6mm Rockcote Reinforced Render 1mm + Acrylic Texture Coating	No visible joints under any light conditions R 1.9 insulation 10 year warranty Look & feel of rendered masonry

FOR THE PERFORMACE CHARACTERISTICS OF THE ABOVE FINISHES, REFER TO THE ROCKCOTE SYSTEM CHART