

LEVELS OF FINISH

LEVELS OF FINISH FOR CEMENT SHEET EXTENTION WALLS	SYSTEM	CHARACTERISTICS & FINISH
LEVEL 1 Expressed joints	6mm Cement Base Sheet PJ6 PVC Straight Joint	Visible PVC sheet joiners Painted flat finish Will follow the frame straightness
LEVEL 2 Joints taped & set Roll-on finish	7.5mm Cement Base Sheet 140+ gsm alkaline resistant, non-adhesive fibreglass mesh tape Acrylic trowel on patch to joints Roll-on texture	Joints hidden behind coatings system Joints may show through under standard lighting conditions Not recommended for quality broad wall installation
LEVEL 3 Joints taped & set + ROCKCOTE 2mm Trowel-On texture coating or ROCKCOTE Polymer Render	7.5mm Cement Base Sheet 140+ gsm alkaline resistant, non-adhesive fibreglass mesh tape ROCKCOTE Hard Patch to joints + ROCKCOTE 2mm Trowel-On acrylic texture or ROCKCOTE Polymer Render sponge finish	Joints not visible under normal lighting conditions Joints may be visible under side-light conditions (critical light)
LEVEL 4 Joints taped & set ROCKCOTE Polymer Render over entire wall	7.5mm Cement Base Sheet 140+ gsm alkaline resistant, non-adhesive fibreglass mesh tape 1 coat polymer based render 1-4mm thick +1mm acrylic texture coating +2 coats membrane paint	Joints not visible under normal lighting conditions Joint may be visible under side-light conditions (critical light)
LEVEL 5 Screeded reinforced cement render	60mm EPS – building grade 4-6mm ROCKCOTE Reinforced Render + 1mm acrylic texture coating	No visible joints under any light conditions R 1.9 insulation 10 year warranty Look & feel of rendered masonry

FOR THE PERFORMACE CHARACTERISTICS OF THE ABOVE FINISHES, REFER TO THE ROCKCOTE SYSTEM CHART