

# MATERIAL SAFETY DATA SHEET

Page 1 of 2  
Updated 24/08/2008

**PRODUCT:** Rockcote Fast Float Finish, Classic

Classified as hazardous according to criteria of Worksafe Australia

## COMPANY DETAILS

**Company Details** Rockcote Enterprises Pty Ltd (ABN 42 066 227 174)  
**Address** 18 Machinery Road, Yandina Qld 4561  
**Telephone/Fax** **Tel** (07) 5446 7737 **Fax** (07) 5446 8303  
**Emergency Telephone** 0417 694 695 (Chemist)  
**Other Information** Note: For the most up-to-date information for this data sheet, please refer to the Rockcote website [www.rockcote.com.au](http://www.rockcote.com.au)  
The information contained in this material safety data sheet is believed to be accurate on the date of issue and in accordance with the information available to us. Persons dealing with products referred to in this material safety data sheet do so at their own risk. We accept no liability whatsoever for damage or injury however caused arising from use of this information or of suggestions contained herein.

## IDENTIFICATION

**Product Name** Rockcote Fast Float Finish Classic  
**Other Names** None Listed  
**Product Code** None Listed  
**UN No:** None allocated  
**Hazchem:** None allocated  
**D.G. Class:** None allocated  
**Pack. Grp.:** None allocated  
**Product Type:** Polymer modified Cement Render  
**Major Ingredients:** Sand, Cement, Polymer, and Additives  
**Poisons Schedule** Not scheduled  
**Product Use** Thin section decorative cement render

## PHYSICAL PROPERTIES

**Appearance:** Light Grey Powder  
**Odour:** Cement  
**Viscosity:** N/A  
**pH:** Alkaline (approx 12)  
**Specific Gravity:** N/A  
**Flash Point:** Non Combustible  
**Solubility in Water:** Dilutable

## OTHER PROPERTIES

**Volatile Component** N/A  
**Auto ignition Temp.** N/A  
**Stability** Stable

## MAJOR INGREDIENTS

Name:	Quantity
Inert Aggregates	20-70%
Cement	20-50%
Additives + Polymer	<10%

## HEALTH HAZARD INFORMATION

### Primary Routes of Exposure:

**Inhalation:** This product may contain respirable crystalline silica which can cause irritation of nose, throat & lungs. Repeated inhalation may cause bronchitis, and/or silicosis.  
**Skin Contact:** Prolonged or repeated contact can cause skin irritation.  
**Eye Contact:** Direct contact can cause eye irritation.

**FIRST AID INFORMATION**

<b>Inhalation:</b>	Move subject to fresh air.
<b>Skin Contact:</b>	Wash affected areas thoroughly with soap & water. Consult a physician if irritation persists.
<b>Eye Contact:</b>	Flush eyes with large amount of water for at least 15 minutes, holding the eye lids apart. Consult a physician if irritation persists.
<b>Ingestion:</b>	Flush mouth with copious quantities of water. Consult a physician.
<b>Toxicity Data:</b>	N/A

**PERSONAL PROTECTION**

Use only in well ventilated areas. Wear protective clothing to minimise skin contact. The use of P1 Masks, tight fitting goggles and barrier creams is recommended.

**FLAMMABILITY**

Fire Hazards      Material is non flammable

**SAFE HANDLING INFORMATION****Storage and Transport**

<b>STORAGE</b>	Store in a cool dry place and out of the weather.		
<b>TRANSPORT</b>	Road and Rail Transport (ACTDG):	Class NIL	
	IATA Classification:	Class NIL	Packaging Group NIL

**FIRE FIGHTING INFORMATION**

**Unusual Hazards:**      Material sets hard when mixed with water.

**Storage Requirements:** Store in a dry place.

**Spills & Clean Up:**      Sweep up dry material. Wash area and equipment with water. Do not allow cleaning water and/or runoffs to enter sewers, storm water or open bodies of water.

.....END OF MSDS.....

**This MSDS has been developed according to Worksafe Australia / NOHSC guidelines.**