

September 2016

Water Excluding Properties – Armour and Armour Flex

The Encarta dictionary definition of ‘waterproof’ is as follows:

Impervious to water: treated or constructed so as to be impenetrable or unaffected by water.

Under this definition, ROCKCOTE Armour and ROCKCOTE Armour Flex can be considered as being waterproof with qualification.

In line with normal facade cladding topcoats, both ROCKCOTE Armour and ROCKCOTE Armour Flex have intrinsic water repellent properties and are warranted against failure if used as specified. Liquid water in the form of rain and wind-driven rain will not penetrate through the outer surface of continuous and cured films of ROCKCOTE Armour or ROCKCOTE Armour Flex if applied in accordance with ROCKCOTE Technical Specifications.

The ROCKCOTE Armour and ROCKCOTE Armour Flex products are defined as ‘water repellent’ rather than ‘waterproof’ as they are not suitable for construction areas that are immersed in water for prolonged periods time (e.g. swimming pools or fishponds).

ROCKCOTE Armour and ROCKCOTE Armour Flex provide a water repellent membrane, yet remain vapour permeable when applied over dimensionally stable substrates when applied in accordance with ROCKCOTE Technical Specifications. I.e. continuous films of ROCKCOTE Armour and ROCKCOTE Armour Flex will prevent entry of incident rain and wind-driven rain but will allow the escape of water vapour that may find the substrate or underlying coatings by other points ingress.